

Database-Driven Mathematical Inquiry

Steven Clontz

April 8, 2024

Abstract

Recent advances in computing have changed not only the nature of mathematical computation, but mathematical proof and inquiry itself. While artificial intelligence and formalized mathematics have been the major topics of this conversation, this paper explores another class of tools for advancing mathematics research: databases of mathematical objects that enable semantic search. In addition to defining and exploring examples of these tools, we illustrate a particular line of research that was inspired and enabled by one such database.

1 Introduction

While machines have been used to aid in mathematical computation for centuries (with perhaps the venerable abacus being the first such tool, used in Mesopotamia as far back as 2300 BCE [1]), the use of mechanical or electronic tools to advance the business of mathematical proof is a much more recent phenomenon.

In his paper *What is the point of computers? A question for pure mathematicians* [2], Kevin Buzzard provides an excellent survey of the history of computationally-aided mathematical inquiry over the past few decades. While exhaustive search, as was utilized to prove the classic four-color theorem from graph theory [3], is one method of using computers to tackle difficult problems constrained to a finite search space, recent years have increased the accessibility of so-called formal verification of mathematics, the main topic of Buzzard's survey. Such tools go under various names: "proof assistants", "theorem provers", "computer-verified mathematics", and so on; perhaps the most active modern example is Lean [4].

Such tools provide a mechanism for mathematicians to formalize their arguments as computer code that can be carefully checked by machine down to the finest detail. Of course, needing to refine down to first principles the usual hand waving of muddlesome technical details is a non-starter for most mathematicians; as such, these tools provide "tactics" that encode standard arguments into reusable instructions on how to build up the rigorous low-level proof. As an example, consider how one might prove that $(ab + ac) + ad = ba + (ca + da)$ for all $a, b, c, d \in \mathbb{R}$. While one might accomplish this through applications of

associativity and commutativity (in Lean’s `mathlib`, one might `rewrite` this goal using the theorems `add_assoc` and `mul_comm`), the single Lean tactic `ring` alternatively handles this proof in just four characters: *of course* the usual properties of `rings` show that these expressions are equal to the other.

While such tactics have enabled the usual hand-waving of technicalities in many cases, it has not (to date) entirely brought formalized mathematics up to speed with the pace of classical mathematics. In [5], Terence Tao suggests that the difficulty ratio of writing a correct formal proof compared with writing a correct informal proof “is still well above one[, but] I believe there is no fundamental obstacle to dropping this ratio below one, especially with increased integration with AI [...] and other tools; this would be transformative to our field.” Indeed, one may imagine a not-too-distant future where AI tools can predict formal mathematical proofs, which are then immediately checked by a computer verification systems, sending feedback to the AI, rinse and repeat, e.g. [6].

2 Semantic Mathematical Databases, Large and Small

However, there is an intermediate goal suggested by Buzzard in his survey: databases of mathematical concepts that enable semantic search, which can be used to query the corpus of peer-reviewed and/or formalized mathematics. Buzzard argues that “this sort of tool [...] has the potential to beat the techniques currently used by PhD students (‘google hopefully,’ ‘page through a textbook/-paper hopefully,’ ‘ask on a maths website and then wait,’ ‘ask another human’) hands down”.

But the benefits of curated databases of mathematical knowledge are not limited to students. A memory that has stuck with me since graduate school is that of a particular topology seminar. The invited speaker noted at one point during his talk (something like), “and I will buy a bottle of wine a dinner tonight for whoever can help me remember how to construct an example of a normal T_0 space which is both arc connected and ultraconnected, but fails to be regular”. This was the early 2010s, and many of us had smart phones in our pocket, so surely this would be easily answered by a Google search? Even today, the “trivial” example (take the reals with the topology of rays (x, ∞) , example S42 of the π -Base [7]) is not revealed by a standard web search using those terms, and most of the trailheads that exist today and might lead one to this answer are websites and forum posts that did not exist at the time. Indeed, while Google has improved over the past decade or so in how it guesses semantics of words from their context in a search (or the user’s search history), one might not be surprised that searching for the words “regular” and “normal” at that time could fail to specifically target mathematical results.

Perhaps what stuck with me was the seeming consensus of the room that *of course* such an example existed, even though no one could quite articulate its

details on the fly. As a student at the time, this was fairly frustrating; while now I’m experienced enough to understand the phenomenon, this is the kind of knowledge that only comes with time immersed in a field. And even for experts, understanding that a result is “known” is not as useful as knowing “where” and “how”, should the result or its details be needed for another application.¹

Let’s define a **semantic mathematical database** as a database of mathematical objects or concepts that includes some technological measure to automatically connect its entries based upon their mathematical meaning. This distinction might be best illustrated by considering a common non-example: mathematics wikis. In addition to the wealth of mathematical knowledge curated by Wikipedia’s dedicated contributors, there are several mathematics-specific wikis as well: ProofWiki.org, Math.Fandom.com, EncyclopediaOfMath.org, nCatLab.org, and more. While these certainly provide a great service by curating mathematical knowledge in an open and collaborative fashion, and the concepts they cover are indeed interconnected by relevant hyperlinks, all these connections must be made by human contributors. For example, ProofWiki doesn’t “know” the difference between the rational numbers and the irrational numbers; each page is just a human-curated document with human-authored hyperlinks pointing from one page to the next.

In contrast, while entries in a semantic mathematical database frequently contain narrative descriptions of the objects they represent, this exposition must be paired with **metadata** describing its mathematical features. An extreme example of this is the *L-functions and modular forms database*, or LMFDB for short [8]. In order to illustrate connections between mathematical objects arising in number theory and arithmetic geometry. Like on a wiki, each object is given its own homepage (e.g. <https://www.lmfdb.org/L/2/31/31.30/c0/0/0> for the L-function given the ID 2-31-31.30-c0-0-0), but unlike a wiki, there is no exposition at all, but just a listing of its metadata: its Dirichlet series ($L(s) = 1 - 2^{-s} - 5^{-s} + -7^{-s} + 8^{-s} + 9^{-s} + \dots$), its functional equation ($\Lambda(s) = 31^{s/2} \Gamma_{\mathbb{C}}(s) L(s) = \Lambda(1-s)$), its degree (2), its conductor (31), its sign (1), and so on.

This lack of exposition is quite natural, as the LMFDB is an example of a **large** semantic mathematical database, wherein the vast majority of its entries are populated programmatically. For example, a sentence description is provided for <https://www.lmfdb.org/L/1/1/1.1/r0/0/0>, the well-known Riemann zeta function, but to populate the LMFDB with the other 1,448,483 Dirichlet L-functions associated to primitive Dirichlet characters with conductor $N \leq 2800$, an exhaustive computation by algorithms described in David Platt’s PhD thesis was required [9].

Given the computational intensity of generating so much data, the value

¹During the preparation of this note, my colleague Katja Berčič shared this relevant (but perhaps apocryphal) anecdote concerning the graph theorists W.T. Tutte and Harold Coxeter: the latter mathematician asked the former in a phone call whether he knew of anyone studying a certain beautiful example of a 3-regular graph with 28 vertices and 42 edges. As the story goes, Tutte replied that of course he had, and that it was quite famously known by researchers in his circle as a Coxeter graph.

of having such databases pre-computed is immediately seen. And with well-designed tools for navigation and **semantic** search (wherein we not only look for the presence/absence of certain keywords in a name or description, but are able to filter objects based upon the mathematical properties stored within their metadata), researchers and students have the potential to find the needles they need within such haystacks.

In contrast, we may also consider **small** semantic mathematical databases, where each entry is individually contributed and moderated by hand. While not small in a certain sense (with over 370,000 entries to date), the On-Line Encyclopedia of Integer Sequences (OEIS) [10] is perhaps the best known small mathematics database. For example, the Fibonacci sequence $0, 1, 1, 2, 3, 5, 8, \dots$ is given the ID A000045 and is available at <https://oeis.org/A000045>.

While search is supported (A000045 is the first result for the search $3, 5, 8, 13, 21$ on its homepage, despite being modeled starting at 0), one might not consider this database to be very semantic. For example, while it's noted that this sequence may be obtained from the formula $F(n) = F(n-1) + F(n-2)$ (with $F(0) = 0, F(1) = 1$), there's no direct way to obtain a list of all OEIS sequences obtained from the same formula but different base values.

In contrast, a small example that is quite semantic is the House of Graphs (HoG) [11]. A particularly unique (not to mention, *slick*) feature of HoG is its search interface, which allows users to actually draw a graph of interest with their mouse, and it will query its database for a match. Of course, users are also able to search by specifying certain graph invariants; for example, I was able to obtain over 4,000 bipartite graphs of average degree 3.

However, chief among its features for me personally (as an only casual graph theorist) is the following sentence I will paraphrase from its homepage, which I feel quite succinctly describes the utility of small semantic databases for researchers: **“Most [mathematicians] will agree that among the vast number of [objects in a given field] that exist, there are only a few thousand that can be considered really *interesting*.”** So if the job of a large database is to help its users find a needle in a haystack, then the job of a small database is to serve as a well-curated museum, featuring the most important or interesting examples from its domain.

3 The π -Base model for small databases

The π -Base is another example of a small semantic mathematical database [7]. Its implementation at <https://topology.pi-base.org> is dedicated to results from general topology; in the next section we will dig deeper into some related research. Likewise, the reader is directed to [redacted] for an article describing its specific history, along with its cyberinfrastructure (software, deployment, etc.).

Instead, here we will explore the “ π -Base model” for organizing a small semantic mathematical database, appropriate for mathematicians interested in certain **objects**, the **properties** each object may or may not satisfy, and **the-**

orems that relate these properties.

3.1 Properties

Properties may be considered the atoms of the π -Base model. Each property is encapsulated in a single text file, illustrated in Listing 1 for the T_0 separation axiom. Each property is given an ID of the form **P#####**, a short string to serve as its name (along with any alternative aliases the property may go by), and a longer description with appropriate references. In this sense, properties are quite similar to the pages of a wiki (albeit with a different mechanism of peer review, to be described later); it is how they are integrated into the objects and theorems that makes this database a semantic one.

Listing 1: Source for property P1 on π -Base

```
---
uid: P000001
name: "$T_0$"
aliases:
  - Kolmogorov
  - T0
refs:
  - doi: 10.1007/978-1-4612-6290-9
    name: Counterexamples in Topology
---

Given any two distinct points, there is an open set containing
one but not the other.

Defined on page 11 of {{doi:10.1007/978-1-4612-6290-9}}.
```

3.2 Objects

Objects have the same features as properties: IDs (of the form **S#####** at topology.pi-base.org, since it models topological Spaces), a name with aliases, and a longer description with references; see Listing 2.

Listing 2: Source for space S1 on π -Base

```
---
uid: S000001
name: Discrete topology on a two-point set
aliases:
  - Finite Discrete Topology
refs:
  - doi: 10.1007/978-1-4612-6290-9
    name: Counterexamples in Topology
  - wikipedia: Discrete_space
    name: Discrete Space on Wikipedia
---
```

Let $X = \{0, 1\}$ be the space containing two points and let all subsets of X be open.

Defined as counterexample #1 ("Finite Discrete Topology") in [doi:10.1007/978-1-4612-6290-9](https://doi.org/10.1007/978-1-4612-6290-9).

So while the π -Base doesn't "know" the mathematical content of these files, and isn't meant to automatically verify this content (a task left to its volunteer reviewers), it is aware of the boolean values asserted for specific space-property pairs. While space S1 is indeed P1, we will see soon why this is not manually asserted in the π -Base database; we instead illustrate in Listing 3 how S1 is asserted to be P52 (discrete).

Listing 3: Source for space-property pair S1|P52 on π -Base

```
---
space: S000001 # The two-point discrete space
property: P000052 # The discrete property
value: true
refs:
- doi: 10.1007/978-1-4612-6290-9
  name: Counterexamples in Topology
---
```

All subsets of this space are open by definition.

3.3 Theorems

So why not assert that the two-point discrete space is T_0 ? The glue that holds the π -Base model together is its theorems. Each theorem asserts that if an object satisfies boolean values for one or more properties, it must also satisfy the given boolean value for another property.

Therefore, there's no need to assert that S1 is P1, given the assertion it is P52, along with the theorems in listings 4 and 5.

Listing 4: Source for theorem T42 on π -Base

```
---
uid: T000042
if:
  P000052: true # The discrete property
then:
  P000002: true # The  $T_0$  separation axiom
refs:
- doi: 10.1007/978-1-4612-6290-9
  name: Counterexamples in Topology
---
```

Asserted on Figure 9 of [doi:10.1007/978-1-4612-6290-9](https://doi.org/10.1007/978-1-4612-6290-9).

Listing 5: Source for theorem T119 on π -Base

```

---
uid: T000119
if:
  P000002: true # The $T_1$ separation axiom
then:
  P000001: true # The $T_0$ separation axiom
refs:
- doi: 10.1007/978-1-4612-6290-9
  name: Counterexamples in Topology
---
```

By definition, see page 11 of `{{doi:10.1007/978-1-4612-6290-9}}`.

In fact, only three properties are currently asserted for the two-point discrete space S_1 , and they characterize it uniquely: S_52 (the space is discrete), P_{125} (the space has multiple points), and *not* P_{175} (the space has three or more points).

In addition to reducing the effort required to enter data for every space-property pair in the database, these theorems drastically reduce the room for error. For one, automated processes use these theorems to reject any submission to the π -Base that would violate a theorem. Furthermore, theorems are used to aid in search: see this result seeking examples of discrete spaces that fail to be T_0 : not only are no spaces found, the π -Base application helpfully generates a proof for why they cannot exist, by chaining its theorems together.

3.4 Peer review

All the data in the π -Base is stored in these four types of text files. So how does a community of contributors collaborate on these?

Fortunately, such tools already exist: distributed version control systems such as Git have served software engineers since the early 2000s. While Git is not nearly as ubiquitous a tool for mathematicians, in recent years services such as GitHub have provided convenient ways for users to engage with these systems with little more effort than what’s required to log into their web browser and start writing [12].

Thus, the π -Base uses these well-established and secure workflows for the business of peer review of database contributions, with the added bonus that the entire contents of its database is available as a free and open-source repository of text files. In particular, any proposed contribution to the database comes in the form of a “pull request” on GitHub. A discussion thread provided by GitHub for each pull request allows for contributors and reviewers to discuss the proposal, and ultimately the request is either “accepted and merged”, or “closed”.

GitHub provides two additional forums: a Discussions board where community members may freely discuss the project, and an Issues board where community members may suggest specific changes, without creating a formal

pull request that would actually implement the proposed improvement. This allows for contributors to help curate the site, simply by engaging in conversations with other community members.

Finally, similar to Wikipedia, π -Base does not aim to be a home for original research. However, it was quickly discovered that limiting data to what’s explicitly reflected in textbooks and peer-reviewed literature is quite constraining: so much of “known mathematics” is either never explicitly expressed in such manuscripts, or is presented in a context not immediately expressed within our model of objects/properties/theorems. As such, forums such as Math.StackExchange and MathOverflow are frequently used to ask and answer questions that fill in π -Base’s gaps, relocating “original research” outside of the π -Base GitHub organization to venues with more eyes, as well as helping disseminate the π -Base resource to their broader audiences.

3.5 Applications to other fields, and limitations

In their 2013 *Notices* article [13], Billey and Tenner pose this scenario: “Suppose that M is a mathematician and that M has just proved theorem T . How is M to know if her result is truly new, or if T (or perhaps some equivalent reformulation of T) already exists in the literature?”² In fact, the π -Base software does exactly this, at least for theorems of the form “all spaces with properties \mathcal{P} also have properties \mathcal{Q} ”, and bounded above by the exhaustiveness of our community’s contributions.

Given the almost-categorical abstractness of the π -Base model, one might suspect that its underlying free and open-source software could be used for a variety of mathematical disciplines. But while there are over 80 separate mathematical databases tracked at MathBases.org, only Topology.pi-Base.org uses the π -Base software itself.

Nonetheless, other databases follow our model to some degree. A particular example is the Database of Ring Theory (DaRT) [15]. DaRT tracks two kinds of objects: rings and modules. Modules then have properties; however, they also have connections to rings (e.g. module M_{20} is given by $(x + (x, y)^2)$ over the ring $R_{23} = F_2[x, y]/(x, y)^2$). Likewise, rings have properties, but for non-commutative rings these may be asymmetric, that is, hold differently for left or right multiplication. While π -Base’s software could in theory be enhanced to allow for this flexibility, or forked to create a branch version of the software with this flexibility, this has not yet happened.

Another major blocker for the use of π -Base software for many databases is the need to not only model boolean properties, but valued properties. As an example in graph theory, consider regularity. A regular graph is a graph for which every vertex has the same degree (number of incident edges). However, many graph theoretic results need consider not only the regularity of the graph, but the type of regularity: an n -regular graph is a graph for which every vertex

²One might be reminded of Tai’s 1994 rediscovery of the trapezoidal rule from calculus, published in the peer-reviewed medical journal *Diabetes Care*[14].

has degree n specifically. One could manually create separate properties for 1-regular, 2-regular, and so on; at least, the amount needed would be bounded above by the number of different graphs in the database. But of course, this is not a very elegant solution; the more sensible approach would perhaps be to store not only boolean values for object-property pairs, but also numerical values.

But this then reveals another limitation of the principle domain served by the π -Base today: properties from general topology typically aren't variable in terms of an integer or even real number value, but instead infinite cardinals. As a concrete example, consider the topological property of cardinality itself. As of writing, there are over twelve different properties in the π -Base that describe the cardinality of a space:

- $|X| = 0$ (P137),
- $|X| \geq 2$ (P125),
- $|X| \geq 3$ (P175),
- $|X| \geq 4$ (P176),
- $|X| < \aleph_0$ (P78, i.e. finite),
- $|X| \leq \aleph_0$ (P57, i.e. countable),
- $|X| = \aleph_0$ (P181, i.e. countably infinite),
- $|X| = \aleph_1$ (P114, i.e. the smallest uncountable cardinality)
- $|X| < \mathfrak{c}$ (P58, i.e., smaller than the cardinality of the reals)
- $|X| \leq \mathfrak{c}$ (P163, i.e. no larger than the cardinality of the reals)
- $|X| = \mathfrak{c}$ (P65, i.e. the cardinality of the reals)
- $|X| \leq 2^{\mathfrak{c}}$ (P59, i.e. no larger than the cardinality of the power set of the reals)

For now, this ugly mess is the best idea we have! Naively, one might consider a metaproperty of cardinality that could be assigned a cardinal value. But the π -Base is implemented in Javascript, whose built-in `Number` type merely supports a single non-finite value `Infinity`. Furthermore, the relationships of some of these properties depend on your model of ZFC: the π -Base does not have any theorem relating P114 and P58 above, as any such theorem would either imply the Continuum Hypothesis or its negation! Certainly, progress could be made here, but it will take the community time to find the most elegant and sustainable solution, particularly if the goal is for π -Base software to support areas besides general topology.

4 The π -Base as a vehicle for original research

I conclude this manuscript by sharing a tale of how the author’s attempt to model in the π -Base certain “well-known” (scare quotes quite intentional) results led to new mathematics research. A more technical article covering the results referenced here is available as [redacted]; here I instead focus on the story that led to these results.

The first iteration of the π -Base was a digital representation of Steen and Seebach’s *Counterexamples in Topology* [16]. In this text, the usual topological separation axioms³ T_0 through T_6 were covered. In particular, let’s focus on these two:

Definition 1 (P3 of π -Base). A space is T_2 (or Hausdorff) provided for each pair of distinct points x, y , there exist disjoint open sets U, V with $x \in U$ and $y \in V$.

Definition 2 (P2 of π -Base). A space is T_1 provided for each pair of distinct points x, y , there exist (not necessarily disjoint) open sets U, V with $x \in U$ and $y \in V$.

Of course, a theorem was created in π -Base to assert the immediate-from-the-definitions conclusion that $T_2 \Rightarrow T_1$. But during those early days, the following two properties were contributed as well:

Definition 3 (P99 of π -Base). A space is US (“Unique Sequential limits”) provided that every convergent sequence has a unique limit.

Definition 4 (P100 of π -Base). A space is KC (“Kompacts are Closed”) provided that its compact subsets are closed.

At that time, not much justification was required to contribute a theorem, so it was asserted that $T_2 \Rightarrow KC \Rightarrow US \Rightarrow T_1$, based upon a link to a wiki called TopoSpaces. In 2017, I received a small institutional grant to tidy up the π -Base and ensure it aligned with the peer-reviewed literature, and I was able to justify this by the following theorem from Wilansky’s *American Mathematical Monthly* 1967 article entitled *Between T_1 and T_2* .

Theorem 5 (Thm 1 of [17]).

$$T_2 \Rightarrow KC \Rightarrow US \Rightarrow T_1$$

with no arrows reversing.

In order for π -Base to know none of these arrows can reverse, three counterexamples needed to be provided: one which was KC-not- T_2 , one which was US-not-KC, and one which was T_1 -not-US. At this stage, rather than describe to

³It’s worth noting that the authors of *Counterexamples* did not follow the modern convention where $x \geq y$ implies $T_x \Rightarrow T_y$; another advantage of living semantic databases is to correct and disambiguate questionable notational decisions of the past.

you such counterexamples, or even redirect you back to my earlier cited survey which exhaustively accounts each such example, I'll instead remind you that there's an app for that: Topology.pi-Base.org! What's important here is that we've finally catalogued all the properties of interest implied by T_2 and implying T_1 .

Ha, of course not. In 2023, Patrick Rabau contributed to π -Base the following property defined in M. C. McCord's 1969 *Transactions* paper *Classifying spaces and infinite symmetric products* [18].

Definition 6 (P143 of π -Base). A space is *weakly Hausdorff* or wH provided the continuous image of any compact Hausdorff space into the space is closed.

In that paper it was observed that this property lies strictly between T_2 and T_1 as well. While McCord seemed unfamiliar with the KC and US properties, in fact, we have the following.

Theorem 7.

$$T_2 \Rightarrow KC \Rightarrow wH \Rightarrow US \Rightarrow T_1$$

with no arrows reversing.

Since inclusion is a continuous map, $KC \Rightarrow wH$ follows immediately. To the best of my knowledge, the first result properly wiring up $wH \Rightarrow US$ was due to Rabau in Math.StackExchange 4267169: essentially, note that a copy of a converging sequence with its limit in \mathbb{R} is compact Hausdorff, so given a converging sequence with its limit in the space, by wH this set is closed and therefore cannot have a second limit.

It was at this point I decided to poke around the literature myself and look for any other significant investigations to properties within this spectrum of T_1 -not- T_2 . Indeed, I found another well-studied weakening of Hausdorff, along with the following two theorems.

Definition(?). A space X is said to be *k-Hausdorff* or kH provided that the diagonal $\Delta_X = \{\langle x, x \rangle : x \in X\}$ is *k-closed* in the product topology on X^2 .

Theorem(?) (Theorem 2.1 of [19]). $kH \Rightarrow KC$.

Theorem(?) (Proposition 11.2 of [20]). $wH \Rightarrow kH$.

Oh no. We've already established that $KC \Rightarrow wH$, and that this arrow does not reverse, so what exactly is going on here?

As it turned there was no mistake made by the authors, even though they both operated using the same definition given above for *k-Hausdorff*. However, they were using different definitions for *k-closed*. So let's now proceed with a bit more care:

Definition 8. A subset C of a space is *k₁-closed* provided for every compact subset K of the space, the intersection $C \cap K$ is closed in the subspace topology for K .

Definition 9. A subset C of a space X is k_2 -closed provided for every compact Hausdorff space K and continuous map $f : K \rightarrow X$, $f^{\leftarrow}[C]$ is closed in K .

Definition 10. A space X is said to be k_i -Hausdorff or k_iH provided that the diagonal $\Delta_X = \{\langle x, x \rangle : x \in X\}$ is k_i -closed in the product topology on X^2 .

With this mindful distinction made, we now may establish the following theorem.

Theorem 11.

$$T_2 \Rightarrow k_1H \Rightarrow KC \Rightarrow wH \Rightarrow k_2H \Rightarrow US \Rightarrow T_1$$

with no arrows reversing.


Proof. The first two arrows followed immediately from an alternative characterization of k_1H given in [19]: each compact subspace is closed and Hausdorff. Then the next arrow was noted in Theorem 7, and the fourth $wH \Rightarrow k_2H$ is from [20].

With the final arrow $US \Rightarrow T_1$ already established, it remained to be shown that $k_2H \Rightarrow US$. This is my personal contribution to the puzzle, first posted online at [redacted] and now detailed in my article [redacted]. The idea of this result comes from noting that the topological space which is simply a sequence converging to a unique limit, i.e. $K = \{1/n : n \in \mathbb{Z}^+\} \cup \{0\} \subseteq \mathbb{R}$, is a compact Hausdorff space. Then given a sequence a_n in a k_2H space X converging to the limits l_0, l_1 , the map $f : K \rightarrow X^2$ defined by $f(1/n) = \langle a_n, a_n \rangle$ and $f(0) = \langle l_0, l_1 \rangle$ is continuous. Then since Δ_X is k_2 -closed, we have $f^{\leftarrow}[\Delta_X] \supseteq \{1/n : n \in \mathbb{Z}^+\}$ closed. It follows that $0 \in f^{\leftarrow}[\Delta_X]$, $f(0) = \langle l_0, l_1 \rangle \in \Delta_X$, and thus the limit $l_0 = l_1$ is unique.

These arrows were each shown to not reverse by considering existing (or lightly modified) counterexamples, other than one: I needed to construct a space which is k_2H but not wH . This turned out to be what's now S165 of π -Base: the one-point compactification $X = Y \cup \{\infty\}$ of the Hausdorff "Arens-Fort space" $Y = \mathbb{Z} \cup \{p\}$ (itself S23 of π -Base). This followed from a new lemma: the one-point compactification of any KC space (and thus any Hausdorff space) is k_2H . But X is not wH : by removing the particular point p of the Arens-Fort space, the remainder $\mathbb{Z} \cup \{\infty\}$ is the one-point (Hausdorff) compactification of a countable discrete space (and thus the continuous image of a compact Hausdorff space), but is not closed in X . \square

All in all, I found it fascinating (and not just a little serendipitous), that the properties k_1H , k_2H and wH investigated more or less independently all fell in line with Wilansky's original spectrum of T_1 weakenings of Hausdorff. One may consider various natural modifications of these to obtain more intermediate examples; for example, requiring unique limits of transfinite sequences, which would live between k_2H and US . And there are indeed several other T_1 -not- T_2 properties found in the literature, including semi-Hausdorff (sH , P169 of π -Base), locally Hausdorff (lH , P84), and "has closed retracts" (RC , P101), which do not fall in line, even among themselves.

Theorem 12.



with no arrows reversing or missing.

I again encourage the reader to use the π -Base application to obtain any desired details for the proof of Theorem 12. Ultimately, I hope you enjoyed this recounting of my investigation, and perhaps are now primed to agree with the following claim.

Semantic databases are a treasure trove of not only “well-known” (and now, easily accessible to any interested student or researcher of mathematics) **results from the literature, but also an excellent vehicle for driving future mathematical inquiry.** As of writing, there are six T_1 spaces on the π -Base for which the application cannot deduce the semi-Hausdorff property. Unless someone gets to it first, this would be a perfect graduate student project, and this is not the only piece of low-hanging fruit on the π -Base. But these things can be subtle, and simple-sounding problems in general topology frequently end up yielding numerous questions and answers at the research level [21].

So I look forward to welcoming more mathematicians to our community and others that maintain semantic mathematical databases. However, a major limitation is that while significant mathematical labor is involved in contributing to a semantic mathematical database, it generally doesn’t “count” when it comes time for one to enter the job market, or submit one’s annual faculty activity report. To that point, I’ll admit that before tenure, I mindfully avoided spending too much time on π -Base in order to focus on my traditional academic output, despite my strong personal belief in the mathematical value of the service. But I’ll also note that after tenure, when I decided to take my work on π -Base more seriously, several investigations such as the one I just described have naturally kept me at least as active in authoring traditional publications as I was before. And with recognition from established mathematics organizations such as the American Institute of Mathematics [22], the visibility that comes with leading researchers such as Kevin Buzzard and Terrence Tao promoting machine-assisted mathematics, and advocacy from newer organizations such as `code4math.org`, I’m optimistic that not only will the experience of mathematics research change dramatically in the coming decade, but as a community we will find ways to appropriately value the academic labor required to develop and maintain the shared digital infrastructure our research increasingly relies upon.

References

- [1] Ifrah G. The universal history of computing: From the abacus to quantum computing. John Wiley & Sons, Inc.; 2000.
- [2] Buzzard K. What is the point of computers? A question for pure mathematicians; 2022.
- [3] Gonthier G. The four colour theorem: Engineering of a formal proof. In: Computer Mathematics: 8th Asian Symposium, ASCM 2007, Singapore, December 15-17, 2007. Revised and Invited Papers. Springer; 2008. p. 333-3.
- [4] de Moura L, Kong S, Avigad J, van Doorn F, von Raumer J. The Lean Theorem Prover (System Description). In: Felty AP, Middeldorp A, editors. Automated Deduction - CADE-25. Cham: Springer International Publishing; 2015. p. 378-88.
- [5] Tao T. Machine assisted proof. Notices of the American Mathematical Society, to appear.
- [6] Yang K, Swope A, Gu A, Chalamala R, Song P, Yu S, et al. LeanDojo: Theorem Proving with Retrieval-Augmented Language Models. In: Neural Information Processing Systems (NeurIPS); 2023. .
- [7] The π -Base Community. π -Base community database of topological counterexamples;. <https://topology.pi-base.org>.
- [8] LMFDB Collaboration T. The L-functions and modular forms database; 2024. [Online. <https://www.lmfdb.org>.
- [9] Platt DJ. Computing degree 1 L-functions rigorously; 2011.
- [10] OEIS Foundation Inc. The On-Line Encyclopedia of Integer Sequences; 2024. [Online. <https://www.oeis.org>.
- [11] Coolsaet K, D'hondt S, Goedgebeur J. House of Graphs 2.0: a database of interesting graphs and more. Discrete Applied Mathematics. 2023;325:97-107. Available at <https://houseofgraphs.org>.
- [12] Clontz S. GitHub for Mathematicians;. Available from: <https://g4m.clontz.org>.
- [13] Billey SC, Tenner BE. Fingerprint databases for theorems. Notices of the AMS. 2013;60(8):1034-9.
- [14] Tai MM. A mathematical model for the determination of total area under glucose tolerance and other metabolic curves. Diabetes care. 1994;17(2):152-4.

- [15] Schwiebert RC. The Database of Ring Theory;. Available from: <https://ringtheory.herokuapp.com>.
- [16] Steen LA, Seebach JA, Steen LA. Counterexamples in topology. vol. 18. Springer; 1978.
- [17] Wilansky A. Between T_1 and T_2 . Amer Math Monthly. 1967;74:261-6. Available from: <https://doi.org/10.2307/2316017>.
- [18] McCord MC. Classifying spaces and infinite symmetric products. Transactions of the American Mathematical Society. 1969;146:273-98.
- [19] Lawson J, Madison B. Quotients of k -semigroups. Semigroup Forum. 1974/75;9(1):1-18. Available from: <https://doi.org/10.1007/BF02194829>.
- [20] Rezk C. Compactly Generated Spaces;. URL:<https://ncatlab.org/nlab/files/Rezk.CompactlyGeneratedSpaces.pdf>. nLab. Available from: <https://ncatlab.org/nlab/files/Rezk.CompactlyGeneratedSpaces.pdf>.
- [21] Pearl EM. Open problems in topology II. Elsevier; 2011.
- [22] AIMath. Workshop on Open-source cyberinfrastructure supporting mathematics research;. URL:<https://aimath.org/workshops/upcoming/cyberinfrastructure/>. Available from: <https://aimath.org/workshops/upcoming/cyberinfrastructure/>.